

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" href="../../../../favicon.ico">

    <title>Off Canvas Template for Bootstrap</title>

    <!-- Bootstrap core CSS -->
    <link href="../../../../dist/css/bootstrap.min.css" rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="offcanvas.css" rel="stylesheet">
  </head>

  <body>

    <nav class="navbar navbar-expand-md fixed-top navbar-dark bg-dark">
      <a class="navbar-brand" href="#">Navbar</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-target=
        "#navbarsExampleDefault" aria-controls="navbarsExampleDefault" aria-expanded="false"
        aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="navbarsExampleDefault">
        <ul class="navbar-nav mr-auto">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="#">Link</a>
          </li>
          <li class="nav-item">
            <a class="nav-link disabled" href="#">Disabled</a>
          </li>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="http://example.com" id="dropdown01"
              data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Dropdown</a>
            <div class="dropdown-menu" aria-labelledby="dropdown01">
              <a class="dropdown-item" href="#">Action</a>
              <a class="dropdown-item" href="#">Another action</a>
              <a class="dropdown-item" href="#">Something else here</a>
            </div>
          </li>
        </ul>
        <form class="form-inline my-2 my-lg-0">
          <input class="form-control mr-sm-2" type="text" placeholder="Search" aria-label=
            "Search">
          <button class="btn btn-outline-success my-2 my-sm-0" type="submit">Search</button>
        </form>
      </div>
    </nav>
```



```

    dui. </p>
    <p><a class="btn btn-secondary" href="#" role="button">View details &raquo;
    </a></p>
  </div><!--/span-->
<div class="col-6 col-lg-4">
  <h2>Heading</h2>
  <p>Donec id elit non mi porta gravida at eget metus. Fusce dapibus, tellus ac
  cursus commodo, tortor mauris condimentum nibh, ut fermentum massa justo sit
  amet risus. Etiam porta sem malesuada magna mollis euismod. Donec sed odio
  dui. </p>
  <p><a class="btn btn-secondary" href="#" role="button">View details &raquo;
  </a></p>
</div><!--/span-->
</div><!--/row-->
</div><!--/span-->

```

```

<div class="col-6 col-md-3 sidebar-offcanvas" id="sidebar">
  <div class="list-group">
    <a href="#" class="list-group-item active">Link</a>
    <a href="#" class="list-group-item">Link</a>
    <a href="#" class="list-group-item">Link</a>
  </div>
</div><!--/span-->
</div><!--/row-->

```

```
<hr>
```

```
</main><!--/.container-->
```

```
<footer>
```

```
  <p>&copy; Company 2017</p>
```

```
</footer>
```

```
<!-- Bootstrap core JavaScript
```

```
===== -->
```

```
<!-- Placed at the end of the document so the pages load faster -->
```

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity=
"sha384-KJ3o2DKtIkvYIK3UENzmM7KcRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin=
"anonymous"></script>
```

```
<script>window.jQuery || document.write('<script
src="../../../assets/js/vendor/jquery.min.js"></script>')
```

```
<script src="../../../assets/js/vendor/popper.min.js"></script>
```

```
<script src="../../../dist/js/bootstrap.min.js"></script>
```

```
<script src="offcanvas.js"></script>
```

```
</body>
```

```
</html>
```