

```
<?php
$side_titel = "faktura";

include ("includes/side_start.php");

// =====
?>
<?php
//=====
include ("includes/handlerer.php");

//=====
?>
<div id="content_left">

</div>

<div id="content_right">

<h1>Faktura</h1>
<p><br /><br /></p>

<?php
$sum = 0;
$steller = count($_SESSION['kurv']);

if ($steller == 0){
echo "Din kurv er tom";
}
else
{
echo "Du har " . $steller . " varer i fakturaen<br /><hr />";

echo "<table>";
echo "<tr><td>Vare nr</td><td>Betegnelse</td><td>Stk.<br
/>pris</td><td>Antal</td><td>Pris</td><td></td></td></tr>";

foreach ($_SESSION['kurv'] as $vare_id => $vare_antal)
{
    $query_array = "SELECT * from varestam where vare_id = $vare_id ";
    $result_array = mysqli_query($db_link, $query_array);
    $antal_array = mysqli_num_rows ($result_array);

    $row_array = mysqli_fetch_assoc ($result_array);
    echo "<tr><td>";
        echo $row_array['vare_id'];
    echo "</td><td>";
        echo $row_array['vare_navn'];
    echo "</td><td>";
        echo $row_array['vare_pris'];
    echo "</td><td>";
        echo $vare_antal;
    echo "</td><td>";
        echo $pris = $row_array['vare_pris'] * $vare_antal;
}
```

```
echo "</td></tr>" ;  
  
    $sum = $sum+$pris;  
} //foreach  
  
echo "<tr><td colspan='5'><hr /><td colspan='2'></td></tr>" ;  
echo "<tr><td></td><td></td><td></td><td>Samlet beløb:</td><td>" . $sum .  
" </td><td></td><td></td></tr>" ;  
echo "</table>" ;  
  
echo "<p><br /></p>" ;  
  
if (isset ($_GET['fakturering']))  
{  
    $fakturering = ($_GET['fakturering']);  
    if($fakturering == 'fakturering')  
    {  
  
        $kun_id = $_SESSION['kun_id'];  
  
        // indsæt ORDRETOP og hent ordreID.  
  
        $query_ot = "  
INSERT INTO ordretop  
( fk_kun_id, ot_dato ) VALUES  
( '$kun_id', NOW() )  
";  
        $result_ot = mysqli_query ($db_link, $query_ot) or die (mysqli_error ($db_link));  
        $ordrenr = mysqli_insert_id($db_link);  
  
        // indsæt ordrelinier  
        $sum = 0;  
        foreach ($_SESSION['kurv'] as $vare_id => $vare_antal)  
        {  
            $pris = $row_array['vare_pris'] * $vare_antal;  
            $vare_id = $row_array['vare_id'];  
            $vare_pris = $row_array['vare_pris'];  
  
            $query_od = "  
INSERT INTO ordredata  
( fk_ot_id, fk_vare_id, od_enhpris, od_antal, od_pris ) VALUES  
( '$ordrenr', '$vare_id', '$vare_pris', '$vare_antal', '$pris' )  
";  
            $result_od = mysqli_query ($db_link, $query_od) or die (mysqli_error ($db_link));  
        }  
  
        $sum = $sum+$pris;  
    } //foreach  
  
    // indsæt sum i ordretop  
    $query_sum = "  
UPDATE ordretop SET  
ot_sum = '$sum'  
WHERE ot_id = $ordrenr" ;
```

```

$result_sum = mysqli_query ($db_link, $query_sum) or die (mysqli_error ($db_link));

unset ($_SESSION[ 'kurv' ]);

header ( "Location: slutkob.php" );
exit;
} //fakturering
} // isset fakturering

//echo "<table><tr><td><a href='faktura.php?fakturering=fakturering'><button class='knap' type='button'>Gennemfør køb</button></a></td></tr></table>";
echo "<form action='faktura.php' method='get'>";
echo "<input type='hidden' name='fakturering' value='fakturering' />";
echo "<input type='submit' name='linkform' value='gennemfør køb' />";
echo "</form>";

echo "<br />";
//echo "<table><tr><td><a href='kurven.php?handling=tom'><button class='knap' type='button'>Afbryd købet</button></a></td><td></td></tr></table>";
echo "<form action='kurven.php' method='get'>";
echo "<input type='hidden' name='handling' value='tom' />";
echo "<input type='submit' name='linkform' value='afbryd købet' />";
echo "</form>";

} //Teller
?>

<?php
// =====
include ( "includes/side_slut.php" );
?>
```